

# U.S. Geological Survey National Produced Waters Geochemical Database v2.1 (PROVISIONAL)

Documentation  
10/16/2014

by Madalyn S. Blondes<sup>1\*</sup>, Kathleen D. Gans<sup>2</sup>, James J. Thordsen<sup>2</sup>, Mark E. Reidy<sup>1</sup>, Burt Thomas<sup>2</sup>, Mark A. Engle<sup>1,3</sup>, Yousif K. Kharaka<sup>2</sup>, Elizabeth L. Rowan<sup>1</sup>

<sup>1</sup>U.S. Geological Survey, Eastern Energy Resources Science Center, Reston, VA, USA

<sup>2</sup>U.S. Geological Survey, National Research Program, Menlo Park, CA, USA

<sup>3</sup>Dept. of Geological Sciences, University of Texas at El Paso, El Paso, TX, USA

\*Corresponding Author: Madalyn S. Blondes, email: mblondes@usgs.gov, telephone: (703) 648-6509

## Disclaimers

### *Disclaimer for Provisional Database:*

The data you have secured from the U.S. Geological Survey (USGS) National Produced Waters Geochemical Database v2.1 are provisional and subject to revision. The data are released on the condition that neither the USGS nor the United States Government may be held liable for any damages resulting from its authorized or unauthorized use.

### *Distribution Liability:*

Although the data have been processed on computer systems at the USGS, U.S. Department of the Interior, no warranty, expressed or implied, is made by the Geological Survey regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. No responsibility is assumed by the USGS in the use of these data.

### *Additional Limitations:*

The information in the USGS National Produced Waters Geochemical Database v2.1 should be used with careful consideration of its limitations. The database is considered sufficiently accurate to provide an indication of tendencies in water composition from geographically and geologically defined areas. It is not appropriate for depiction of modern produced water compositions or examination of trends on small scales. The USGS makes no warranty regarding the accuracy or completeness of information presented in this database. Specific limitations of the database should be considered. Much of the information in the database cannot be independently verified. Methods of collection, sample preservation, analysis, assignment of geologic units and record keeping were not rigorous or standardized. Because of these uncertainties, users are advised to check data for inconsistencies, outliers, and obviously flawed information. Methods of well construction, sample collection and chemical analysis have changed over time. The distribution and relative amount of water produced within a province and among geologic units may not be fully represented by the samples in the database. No sampling was planned to accurately depict the aggregate water composition of any area whether it be province, state, county or field. The geologic unit nomenclature developed for petroleum production may have changed over time. Data from a province collected 30 years ago may not resemble current production. The composition of produced water within a province, field or even well may change in time as a result of water flooding, recompletion in other

intervals, and workovers. Water samples are commonly collected when a well has production problems or during the initial development of a well. Although criteria were applied to remove the obviously contaminated samples, the culling of unrepresentative data is considered incomplete. Most obvious redundant entries were removed from this database, many of the records represent multiple samples of the same well. Therefore aggregate statistics may be weighted by relatively few wells.

## **Introduction**

During hydrocarbon exploration and extraction, water is typically co-produced from the same subsurface geologic formations. Understanding the composition of these produced waters is important to help investigate the regional hydrogeology, the source of the water and hydrocarbons, the necessary water treatment and disposal plans, potential economic benefits of commodities in the fluids, and the safety of potential sources of drinking or agricultural water. Additionally, during geothermal development or exploration, other deep formation waters are brought to the surface and may be sampled. This U.S. Geological Survey (USGS) Produced Waters Geochemical Database, which contains geochemical and other information for 161,915 produced water and other deep formation water samples of the United States, is a provisional, updated version of the 2002 USGS Produced Waters Database (Breit and others, 2002). In addition to the major element data presented in the original, the new database contains trace elements, isotopes, and time-series data, as well as nearly 100,000 new samples with greater spatial coverage and from both conventional and unconventional well types, including geothermal. The database is a compilation of 25 individual databases, publications, or reports. The database was created in a manner to facilitate addition of new data and fix any compilation errors, and is expected to be updated with new data as provided and needed. Table 1 shows the abbreviated names (IDDDB) of each input database, the number of samples from each, and its reference. Table 2 defines the 241 variables contained in the database and their descriptions. The database variables are organized first with identification and location information, followed by well descriptions, dates, rock properties, physical properties of the water, and then chemistry. The chemistry is organized alphabetically by elemental symbol, each element is followed by any associated compounds (e.g. H<sub>2</sub>S is found after S). After Zr, molecules containing carbon follow, including measures of alkalinity, dissolved organic carbon (DOC), and hydrocarbons. Isotopic data are found at the end of the dataset.

## **Database Compilation Procedure**

Modification of the data or variable names is necessary to create a database with consistent headers, compositional units, and numeric data that can be plotted or analyzed as a whole. One of the main goals of this updated database is to create a compiled dataset where every change to the original datasets is reversible and recorded. Thus if errors are found, there is a coded record that can be adjusted as needed, and the compiled dataset can be easily recreated from scratch. To meet this goal, the USGS National Produced Waters Geochemical Database v2.1 is compiled using the statistical and data analysis program,

Stata (StataCorp, 2014)<sup>1</sup>. A Stata routine is written for each input database that imports the original data, renames the variables to match the template (table 2), and then appends the existing columns to a template header. Non-numeric characters within numeric variables (for example, chemistry and pH) are fixed, deleted, or replaced with the following numeric codes:

- 1 = Trace, minor, present, or a qualitative description of some amount.
- 2 = None detected, absent, null, or negative
- 3 = NA, not analyzed, unknown
- 4 = Transcription error or otherwise nonsensical entry

Negative values are used for concentration data codes because all true concentrations are positive and therefore will not overlap with the codes. Negative values can easily be removed by the user when manipulating data. Furthermore, dates are formatted into a consistent date form and extra variables are removed. Units for all variables other than the major and minor ions are defined in table 2. The major and minor ions are generally reported in units of milligrams per liter (mg/L) or parts per million (ppm) on a mass basis, also defined as milligrams per kilogram (mg/kg). If the ion concentrations were originally reported in mg/L, a "1" is added to the MGL variable column of the database. If the ion concentrations were originally reported in ppm, a "1" is added to the PPM variable column of the database. The user of this database must be careful to examine these units when using the data, and can convert between the two using measurements or estimates of brine density.

Each individual input database is then appended to the template using a global Stata routine. The database is further standardized here with internally consistent 14-digit American Petroleum Institute well identification numbers (API), state names (STATE), and one of seven well type (WELLTYPE) designations (Conventional Hydrocarbon, Shale Gas, Tight Oil, Tight Gas, Coal Bed Methane, Geothermal, and Groundwater). Future standardization will be performed on other important variables such as FORMATION.

## **Removing duplicates**

Duplicates were found within single datasets and between them. Duplicate culling is done using API well numbers and the concentrations of variables with large numbers of significant figures because it is highly unlikely that even samples taken from the same well at the same time will have the exact same values for three or more elements. API, Calcium (Ca), Chloride (Cl), and bicarbonate (HCO<sub>3</sub>) concentrations are used to search for duplicates. Care was taken to avoid false duplicates (for example, where all three ions had the code of "-4" or all three ions had null data). There were 92,153 unique observations according to these duplicate search criteria, 8,539 groups of 2 observations (duplicates), 1,179 groups of 3 observations (triplicates), 157 groups of 4 observations, 13 groups of 5 observations, 5 groups of 6 observations, and 2 groups of 7 observations (table 3). After locating these duplicates, a second check was often performed using Mg, Na, or sample collection date to determine if they were true duplicates. The duplicate

---

<sup>1</sup> Disclaimer: Use of brand or trade names are for descriptive purpose and do not imply endorsement by the U.S. Government.

observation retained was generally the one in the database that contained more information. The order of which database had primacy follows the order of table 1.

### **Culling data based on chemistry**

Quality control of the dataset can be performed by culling based on geochemical criteria. In this version 2.1 of the provisional database, the data that fall outside of the bounds of the following criteria are flagged, rather than culled. There are six temporary columns in the database that represent the failure of specific culling criteria, based on those published in Hitchon and Brulotte (1994). An "X" is placed in the columns shown in table 2 where the sample falls outside of the pH range of 4.5 – 10.5, where  $Mg > Ca$ ,  $K > Cl$ ,  $K > 5xNa$ , and the charge balance is greater than 5%.

### **Changes in database version 2.1**

Version 2.1 corrects errors found in version 2.0 of the database. Incorrect LAT, LONG, or STATE variables were updated based on API or other well information. Chemical and well data in incorrect columns were placed in the correct columns. Unit problems were fixed for chemistry and specific gravity data. Alkalinity data were put into the correct columns based on the method of measurement. Certain variables not given in the original input datasets, including WELLTYPE and age information were determined based on well and formation data. Various other errors noted by users were corrected by referring back to the original source of the data. No new datasets were added except IDDB = "WILLISTON," which is a compilation of the EASTPOPLAR and BAKKEN entries from version 2.0 of the database along with unpublished data (Thamke, 2014, written communication).

## References (input databases and a selection of individual reports)

- Barton, G.J., Burruss, R.C., and Ryder, R.T., 1998, Water quality in the vicinity of Mosquito Creek Lake, Trumbull County, Ohio, in relation to the chemistry of locally occurring oil, natural gas, and brine: U.S. Geological Survey Water-Resources Investigation Report 98-4180, 46 p.
- Bassett, R.L., and Bentley, M.E., 1983, Deep brine aquifers in the Palo Duro Basin: regional flow and geochemical constraints: Bureau of Economic Geology, University of Texas, Report of Investigations, no. 130.
- Bownocker, J.A., 1906, Salt deposits and the salt industry in Ohio: Ohio Division of Geological Survey Bulletin 8, 42 p.
- Breen, K. J., Angelo, C.G., Masters, R.W., and Sedam, A.C., 1985, Chemical and isotopic characteristics of brines from three oil- and gas-producing sandstones in eastern Ohio, with applications to the geochemical tracing of brine sources: U.S. Geological Survey Water-Resources Investigations Report WRI 84-4314, 58 p., Accessed [http://pubs.er.usgs.gov/djvu/WRI/wrir\\_84\\_4314.djvu](http://pubs.er.usgs.gov/djvu/WRI/wrir_84_4314.djvu).
- Breit G.N., 2002, USGS Produced Waters Database, Accessed <http://energy.cr.usgs.gov/prov/prodwat>.
- Carpenter, A.B., Trout, M.L., and Picket, E.E., 1974, Preliminary report on the origin and chemical evolution of lead and zinc-rich oil field brines in central Mississippi: Economic Geology, 1974, v. 69, p. 1191-1206.
- Cimerex Energy Company, 2013, written communication.
- Clifford, M.J., 1975, Subsurface liquid-waste injection in Ohio: Ohio Division of Geological Survey Information Circular 43, 27 p.
- Conrey, G.W., 1921, The geology of Wayne County: Ohio Division of Geological Survey Bulletin 24, 155 p.
- Dahm, K.G., 2013, written communication: U.S. Bureau of Reclamation.
- Dahm, K.G. et al., 2011, Composite geochemical database for coalbed methane produced water quality in the Rocky Mountain region: Environmental Science and Technology, v. 45, p. 7655-7663.
- Department of Energy, National Energy Technology Laboratory, NATCARB Brine Database, Accessed 2013 at [www.netl.doe.gov](http://www.netl.doe.gov).
- Department of Energy, National Energy Technology Laboratory, Rocky Mountain Produced Waters Database, 2005, Accessed <http://www.alrc.doe.gov/technologies/oil-gas/Software/database.html>.
- Dresel, P. E., and Rose, A. W., 2010, Chemistry and origin of oil and gas well brines in western Pennsylvania: Pennsylvania Geological Survey, 4th series, Open-File Report OFOG 10-01.0, 48 p., web version, accessed on December 28, 2012, Accessed [http://www.dcnr.state.pa.us/topogeo/pub/openfile/pdfs/ofog10\\_01.pdf](http://www.dcnr.state.pa.us/topogeo/pub/openfile/pdfs/ofog10_01.pdf).
- Hanshaw, B.B., and Hill, G.A., 1969, Geochemistry and hydrodynamics of the Paradox Basin region, Utah, Colorado, and New Mexico: Chemical Geology, v. 4, p. 263-164.
- Hayes, T., 2009, Sampling and analysis of water streams associated with development of Marcellus Shale gas, Final Report, December 31, 2009: Marcellus Shale Coalition, p. 107-356, Accessed [http://catskillcitizens.org/learnmore/20100916IOGAResponsetoDECChesapeake\\_IOGAResponsetoDEC.pdf](http://catskillcitizens.org/learnmore/20100916IOGAResponsetoDECChesapeake_IOGAResponsetoDEC.pdf).
- Hitchon, B., and Brulotte, M., 1994, Culling criteria for "standard" formation water analyses: Applied Geochemistry, v. 9, p. 637-645.
- Hoskins, H.A., 1947, Analyses of West Virginia brines: West Virginia Geological and Economic Survey, Report of Investigations, no. 1, p. 1-21.
- Keller, S.J., 1983, Analyses of subsurface brines of Indiana: Department of Natural Resources Geological Survey Occasional Paper 41.

- Lamborn, R.E., 1952, Additional analyses of brines from Ohio: Ohio Division of Geological Survey Report of Investigations 11, 56 p.
- Lawhead, A.H., no date, Natural brines in the Illuminating Company service area: unpublished, Cleveland Electric Illuminating Company report, not paged.
- Leahy, J.N., 1996, Abandoned Alpha Portland Cement Company mine facility site, Ironton, Ohio: a groundwater flow and brine migration analysis: M.S. Thesis, University of Cincinnati, 246 p.
- Lowry, R. M., Faure, G., Mullet, D. I., and Jones, L. M., 1988, Interpretation of chemical and isotopic compositions of brines based on mixing and dilution, "Clinton" sandstones, eastern Ohio, U.S.A.: Applied Geochemistry, v. 3, p. 177-184.
- McDonald, J., Riley, R.A., Wolfe, M.E., Wells, J.G., 2013, written communication, Brine geochemistry database of Ohio: Ohio Division of Geological Survey.
- McGrain, P., 1953, Miscellaneous analyses of Kentucky brines: Kentucky Geological Survey- Report of Investigations No. 7, p. 1-16.
- McGrain, P., and Thomas, G. R., 1951, Preliminary report on the natural brines of eastern Kentucky: Kentucky Geological Survey, v. Report of Investigations No. 3, p. 1-22.
- Meents, W.F., Bell, A.H., Rees, O.W., and Tilbury, W.G., 1952, Illinois oil-field brines Their geologic occurrence and chemical composition: Illinois State Geological Survey, Illinois Petroleum no. 66, 38 p.
- Meredith, E., Kuzara, S., Wheaton, J.R., Bierbach, S., Chandler, K., Donato, T., Gunderson, .J., and Schwartz, C., 2011, 2010 Annual coalbed methane regional groundwater monitoring report: Powder River Basin, Montana, Montana Bureau of Mines and Geology Open File Report 600, 130 p., 6 sheets, Accessed <http://www.mbmng.mtech.edu/pdf-open-files/mbmg600-2010CBM-Report.pdf>.
- Mills, R. V. A., and Wells, R. C., 1919, The evaporation and concentration of waters associated with petroleum and natural gas: U.S. Geological Survey Bulletin 693, 104 p.
- Moldovanyi, E.P. and Walter, L.M., 1992, Regional trends in water chemistry, Smackover Formation, southwest Arkansas: Geochemical and Physical Controls, AAPG Bulletin, v. 76, no. 6, p 864-894.
- New Mexico Water and Information Data System (NM WAIDS), Accessed 2013 at <http://octane.nmt.edu/waterquality>.
- North Dakota Oil and Gas Division, Accessed 2013 at <https://www.dmr.nd.gov/oilgas/>.
- New York State Department of Environmental Conservation, 2009, Draft supplemental generic environmental impact statement on the oil, gas, and solution mining regulatory program, well permit issuance for horizontal drilling and high-volume hydraulic fracturing to develop the Marcellus Shale and other low-permeability gas reservoirs: New York State Department of Environmental Conservation (DEC), Appendix 13, Accessed <http://www.dec.ny.gov/energy/58440.html>.
- Orton, Edward, 1888, The Trenton Limestone as a source of oil and gas in Ohio: Ohio Division of Geological Survey, vol. 6, p. 101-310.
- Osborn, S.G., and McIntosh, J.C., 2010, Chemical and isotopic tracers of the contribution of microbial gas in Devonian organic-rich shales and reservoir sandstones, northern Appalachian Basin: Applied Geochemistry, v. 25, p. 456-471.
- Osborn, S.G., McIntosh, J.C., Hanor, J.S., and Biddulph, D., 2012, Iodine-129, 87Sr/86Sr, and trace elemental geochemistry of northern Appalachian Basin brines: evidence for basinal-scale fluid migration and clay mineral diagenesis: American Journal of Science, v. 312, p. 263-287.
- Pashin, J., 2013, written communication.

- Pennsylvania Department of Environmental Protection, Bureau of Oil and Gas Management, 1991, NORM Survey Summary, Accessed <http://files.dep.state.pa.us/OilGas/BOGM/BOGMPortalFiles/RadiationProtection/NORM.pdf>.
- Peterman, Z.E., Thamke, J.N., Futa, K., Oliver, T.A., 2010, Strontium isotope detection of brine contamination in the East Poplar Oil Field, Montana: U.S. Geological Survey Open-File Report 2010-1326, 20 p., accessed <http://pubs.usgs.gov/of/2010/1326/>.
- Poth, C.W., 1962, The occurrence of brine in western Pennsylvania: Pennsylvania Geological Survey, v. Fourth Series, Bulletin M 47, 53 p.
- Preston, T.M., Smith, B.D., Thamke, J.N., Chesley-Preston, T., 2012, Water-quality and geophysical data for three study sites within the Williston Basin and Prairie Pothole Region: U.S. Geological Survey Open-File Report 2012-1149, 17 p., accessed <http://pubs.usgs.gov/of/2012/1149/>.
- Price, P.H., Hare, C.E., McCue, J.B., and Hoskins, H.A., 1937, Salt Brines of West Virginia: West Virginia Geological Survey, v. VIII, 203 p.
- Ransome, F.L., 1913, Contributions to economic geology, 1911, Part I, Metals and nonmetals except fuels--Copper; Lead and Zinc: U.S. Geological Survey Bulletin 530-B, 400 p.
- Reeves, F., 1917, The absence of water in certain sandstones of the Appalachian oil fields: Economic Geology, v. 12, p. 354-378. [PA and WV]
- Rice, C.A., 2003, Production waters associated with the Ferron coalbed methane fields, central Utah: Chemical and isotopic composition and volumes, International Journal of Coal Geology, 56: 141-169.
- Rice, C.A., et al., 2000, Water co-produced with coalbed methane in the Powder River Basin, Wyoming: preliminary compositional data, United States Geological Survey, Open File Report 00-372.
- Root, W.J., 1888, The manufacture of salt and bromine: Ohio Division of Geological Survey, vol. 6, p. 653-670.
- Rowan, E.L., Engle, M.A., Kirby, C., and Kraemer, T.F., 2011, Radium content of oil- and gas-field produced waters in the northern Appalachian Basin: Summary and discussion of data: U.S. Geological Survey, Scientific Investigations Report 2011-5135, 31 p.
- Sanders, L.L., 1986, Geochemistry and paleotemperature of formation waters from the Lower Silurian "Clinton" formation, Eastern Ohio: Ph.D. Dissertation, Kent State University, 141 p.
- Sanders, L. L., 1991, Geochemistry of formation waters from the Lower Silurian Clinton Formation (Albion Sandstone), eastern Ohio: AAPG Bulletin, v. 75, p. 1593-1608.
- Shindel, H.S., Stewart, L.J., and Kolva, J.R., 1983, Water Resources Data, Ohio Water Year 1982--volume 2, St. Lawrence River Basin Statewide Project Data: U.S. Geological Survey Water-Data Report OH-82-2, p. 277-286.
- Siegel, D. I., Szustakowski, R. J., and Frape, S., 1990, Regional appraisal of brine chemistry in the Albion Group sandstones (Silurian) of New York, Pennsylvania, and Ohio: Association of Petroleum Geochemical Explorationists, Bulletin 6, p. 66-72.
- SPWLA, no date, RW Catalog database: Ohio Chapter of Society of Professional Well Log Analysts, unpublished.
- Stith, D.A., and Knapp, N.F., 1989, Characterization of trace metals in Ohio brines, final report: Ohio Division of Geological Survey Open-File Report 89-1, unpaginated.
- Stith, D.A., Morth, A.H., and Hatch, J.R., 1979, Brine analyses, 1972-1974: Ohio Department of Natural Resources, Division of Geological Survey Open-File Report 79-1, 77 p.
- Stout, Wilber, and Lamborn, R.E., 1924, The geology of Columbiana County: Ohio Division of Geological Survey Bulletin 28, 408 p.

- Stout, W.E., Lamborn, R.E., and Schaaf, D., 1932, Brines of Ohio: Geological Survey of Ohio, Bulletin 37, 123 p.
- Sunwall, M. T., and Pushkar, P., 1979, The isotopic composition of strontium in brines from petroleum fields of southeastern Ohio: *Chemical Geology*, v. 24, p. 189-197.
- Thamke, J., 2014, written communication.
- Thompson, W. E., 1973, Concentration of selected elements in brines of Perry County, Ohio: Ohio State University, Columbus Ohio, unpublished Master's thesis, 64 p.
- Vugrinovich, 2013, written communication, Office of Oil, Gas, and Minerals, Michigan Department of Environmental Quality.
- Walter, L.M., Budai, J.M., Martini, A., and Ku, T., 1997, Hydrogeochemistry of the Antrim Shale in the Michigan Basin. Final Report, Gas Research Institute, 5093-220-2704, 98 p.
- Warner, N.R., Jackson, R.B., Darrah, T.H., Osborn, S.G., Down, A., Zhao, K., White, A., and Vengosh, A., 2012, Geochemical evidence for possible natural migration of Marcellus Formation brine to shallow aquifers in Pennsylvania: *PNAS*, v. 109, no. 30, p. 11961–11966, Accessed [www.pnas.org/cgi/doi/11910.11073/pnas.1121181109](http://www.pnas.org/cgi/doi/11910.11073/pnas.1121181109).
- Wilk, G.B., 1987, Interpretation and geochemical analysis of "Clinton" brines from Mahoning County, Ohio: M.S. Thesis, University of Akron, 73 p.
- Williams, J.H., Taylor, L.E., and Low, D.J., 1998, Hydrogeology and groundwater quality of the glaciated valleys of Bradford, Tioga, and Potter Counties, Pennsylvania: Pennsylvania Department of Natural Resources (DCNR); Pennsylvania Geological Survey, 4th Ser., Water Resource Report 68, 89 p.
- Wyoming Oil and Gas Conservation Commission, Accessed 2013 at [wogcc.state.wy.us](http://wogcc.state.wy.us).

## Tables

Table 1. Short names of input databases, number of samples after removal of duplicates, and references on input databases.

<b>ID of database</b>	<b>Samples</b>	<b>Reference</b>
USGSMAIN	62,789	Breit and others (2002)
USGSOK	9,304	Breit and others (2002)
USGSARK	1,125	Breit and others (2002)
ROCKIES	3,188	Department of Energy, National Energy Technology Laboratory (2005)
MICHIGAN	429	Vugrinovich (2013, written communication)
WYOGCC	9,252	Wyoming Oil and Gas Conservation Commission (2013)
WILLISTON	47	Thamke (2014, written communication), USGS OFR 2010-1326, USGS OFR 2012-1149
PARADOX	89	Hanshaw and Hill (1969)
POWDERRIVERCBM	47	Rice and others (2000)
APPALACHIAN	1,647	multiple – see references
INDIANA	396	Keller (1983)
CBM	3,220	Dahm (2013, written communication)
OHBRINE	579	McDonald (2013, written communication)
PASHIN	126	Alabama Geological Survey (2013, written communication)
ARKMOLDOVANYI	41	Moldovanyi and Walter (1992)
CIMAREX	2,891	Cimarex Energy Company (2013, written communication)
FERRON	46	Rice (2003)
ILLINOIS	342	Meents and others (1952)
MISSISSIPPI	82	Carpenter and others (1974)
MONTANACBM	20	Meredith and others (2010)
PALODURO	16	Bassett and Bentley (1983)
NORTHDAKOTA	7,334	North Dakota Oil and Gas Division (2013)
ANTRIM	53	Walter and others (1997)
NATCARB	57,208	Department of Energy, National Energy Technology Laboratory (2013)
<b>Total</b>	<b>161,915</b>	

**Table 2. Variable names and descriptions.**

<b>Variable Name</b>	<b>Description</b>
IDORIG	ID in original database
IDDB	ID of database
SOURCE	Source of data
REFERENCE	Publication
LAT	Latitude
LONG	Longitude
FLAT	Field Latitude (estimate)
FLONG	Field Longitude (estimate)
API	API well number
USGSPROV	USGS Province
USGSREGION	USGS Region
BASIN	Basin
BASINCODE	Basin Code
STATE	State
STATECODE	State Code
COUNTY	County
COUNTYCODE	County Code
FIELD	Field
FIELDCODE	Field Code
WELL	Well name
WELLCODE	Well code
WELLTYPE	Well type
WELLCLASS	Well class
TOWNSHIP	Township
TWNDIR	Township Direction
RANGE	Range
RNGDIR	Range Direction
SECTION	Section
QUARTER	Quarter
REGDIST	Regional District
LOC	Location
QUAD	Quad
DATESAMPLE	Date of sample
DATEANALYS	Date of analysis
DATECOMP	Date of well completion
METHOD	Sample Method
OPERATOR	Well operator
DRILLER	Well driller
PERMIT	Well permit holder
FORMATION	Geologic formation name
DFORM	Geologic formation name of greatest depth
MEMBER	Geologic member name
GEOLAGE	Geologic age
AGECODE	Geologic Age code
ERA	Geologic Era name
SYSTEM	Geologic System name
SERIES	Geologic Series name
DEPTHUPPER	Upper perforation depth
DEPTHLOWER	Lower perforation depth
DEPTHSAMP	Depth of sample, may be average

<b>Variable Name</b>	<b>Description</b>
DEPTHTOTAL	Total depth of well
ELEVATION	Elevation of well
SUBSEA	Depth below seafloor
LAB	Laboratory
REMARKS	Remarks or comments
LITHOLOGY	Lithology
SILT	Silt 1 = sample is this rock type
SHALE	Shale 1 = sample is this rock type
SAND	Sand 1 = sample is this rock type
CHERT	Chert 1 = sample is this rock type
CARBONATE	Carbonate 1 = sample is this rock type
DOLOMITE	Dolomite 1 = sample is this rock type
LIMESTONE	Limestone 1 = sample is this rock type
ANHYDRITE	Anhydrite 1 = sample is this rock type
OTHERLITH	Other Lithology 1 = sample is this rock type
POROSITY	Porosity
PERM	Permeability
TEMP	Temperature, deg F
PRESSURE	Pressure, psi
SPGRAV	Specific Gravity
SPGRAVT	Temperature of Specific Gravity measurement, deg F
RESIS	Resistivity, Ohm m
RESIST	Temperature of Resistivity measurement, deg F
PH	pH
PHT	Temperature of pH measurement, deg F
EHORP	Eh / Oxidation Reduction Potential (mV)
COND	Conductivity, uS/cm
CONDT	Temperature of Conductivity measurement, deg F
TURBIDITY	Turbidity
SEDIMENT	Sediment
HEM	Oil and Grease
MBAS	Surfactants and Detergents
MGL	Units, mg/L; 1 = data are in these units
PPM	Units, mg/kg; 1 = data are in these units
TDS	Total Dissolved Solids, measured
TDSCALC	Total Dissolved Solids, calculated
TSS	Total Suspended Solids
CHARGEBAL	Charge Balance (%)
MASSBAL	Mass Balance (%)
Ag	Silver
Al	Aluminum
As	Arsenic
Au	Gold
B	Boron
B03	Borate
Ba	Barium
Be	Beryllium
Bi	Bismuth
Br	Bromide
Br03	Bromate
CO2	Carbon dioxide
CO3	Carbonate

<b>Variable Name</b>	<b>Description</b>
HC03	Bicarbonate
Ca	Calcium
Cd	Cadmium
Ce	Cerium
ClO3	Chlorate
ClO4	Perchlorate
Cl	Chloride
ClO2	Chlorite
ClO	Hypochlorite
Co	Cobalt
Cr	Chromium
Cs	Cesium
Cu	Copper
F	Fluoride
FeTot	Iron, total
FeIII	Iron, 3+
FeII	Iron, 2+
FeS	Iron sulfide
FeAl	Iron plus Aluminum, reported as elements
FeAl2O3	Iron plus Aluminum, reported as oxides
Ga	Gallium
Ge	Germanium
Hg	Mercury
Hf	Hafnium
I	Iodine
In	Indium
Ir	Iridium
K	Potassium
KNa	Potassium plus Sodium
La	Lanthanum
Li	Lithium
Mg	Magnesium
Mn	Mangansese
Mo	Molybdenum
N	Nitrogen, total
NO2	Nitrite
NO3	Nitrate
NO3NO2	Nitrate plus Nitrite
NH3	Ammonia
NH4	Ammonium
TKN	Kjeldahl Nitrogen
Na	Sodium
Nb	Niobium
Ni	Nickel
O	Oxygen
DO	Dissolved Oxygen
OH	Hydroxide
Os	Osmium
P	Phosphorus
PO4	Phosphate
Pb	Lead
Pd	Palladium

<b>Variable Name</b>	<b>Description</b>
Re	Rhenium
Rh	Rhodium
Rb	Rubidium
Ru	Ruthenium
S	Sulfide
SO3	Sulfite
SO4	Sulfate
HS	Bisulfide
H2S	Hydrogen Sulfide
HSO4	Bisulfate
Sb	Antimony
Sc	Scandium
Se	Selenium
Si	Silica
Sn	Tin
Sr	Strontium
Ta	Tantalum
Te	Tellurium
Th	Thorium
Ti	Titanium
Tl	Thallium
U	Uranium
V	Vanadium
W	Tungsten
Y	Yttrium
Zn	Zinc
Zr	Zirconium
ALKTOTAL	Alkalinity, measurement method unknown
ALKCACO3	Alkalinity as CaCO3
ALKHCO3	Alkalinity as HCO3
ALKCO3	Alkalinity as CO3
ACIDITY	Acidity as CaCO3
DIC	Dissolved Inorganic Carbon
DOC	Dissolved Organic Carbon
TOC	Total Organic Carbon
CN	Cyanide
BOD	Biochemical Oxygen Demand
COD	Chemical Oxygen Demand
CH4	Methane
C2H3O2	Acetate
C2H4O2	Acetic Acid
C2H6O2	Ethylene Glycol
C3H6O	Acetone
C6H6	Benzene
C6H6O	Phenols
C7H8	Toluene
C8H10_XY	Xylene
C8H10_ETH	Ethybenzene
ALPHA	Alpha particle (4He), pCi/L
BETA	Beta particle, pCi/L
dD	delta 2H, per mil
H3	Tritium, 3H, tritium units

<b>Variable Name</b>	<b>Description</b>
d11B	delta 11B, per mil
B11_10	11B / 10B
d13C	delta 13C, per mil
C14	14C, pCi/L
d18O	delta 18O, per mil
d34S	delta 34S, per mil
d37Cl	delta 37Cl, per mil
K40	40K, pCi/L
Sr87_86	87Sr / 86Sr
Cs127	127Cs, pCi/L
I129	129I, pCi/L
Tl206	206Tl, pCi/L
Pb210	210Pb, pCi/L
Pb212	212Pb, pCi/L
Ra223	223Ra, pCi/L
Ra226	226Ra, pCi/L
Bi211	211Bi, pCi/L
Bi212	212Bi, pCi/L
Bi214	214Bi, pCi/L
Pb214	214Pb, pCi/L
Rn222	222Rn, pCi/L
Th227	227Th, pCi/L
Ac227	227Ac, pCi/L
Ac228	228Ac, pCi/L
Ra228	228Ra, pCi/L
Th228	228Th, pCi/L
Th230	230Th, pCi/L
Pa231	231Pa, pCi/L
Th232	232Th, pCi/L
Th234	234Th, pCi/L
Pa234	234Pa, pCi/L
U234	234U, pCi/L
U235	235U, pCi/L
Np237	237Np, pCi/L
U238	238U, pCi/L
cull_PH	"X" if pH < 4.5 or pH > 10.5
cull_MgCa	"X" if Mg > Ca
cull_KCl	"X" if K > Cl
cull_K5Na	"X" if K > 5xNa
cull_CHARGEB	"X" if charge balance > 5%
chargebalance	charge balance percentage

Table 3. Observed duplicates in combined database based on exact same Ca, Cl, HCO<sub>3</sub>, and API.

<b>Copies</b>	<b>Observations</b>	<b>Surplus</b>
1	92153	0
2	17078	8539
3	3537	2358
4	628	471
5	65	52
6	30	25
7	14	12